



SHIELD TAPES

CARTON SEALING & PACKAGING

ACRYLIC

- High shear tape with greater holding power
- Appropriate for light to medium duty packaging
- Performs in a range of temperatures



Grade	Item ID	Size	Colors	Weight
General	16CST	48mm x 100m, 72mm x 100m	Clear	1.6 mil
General+	CST	48mm x 50m, 48mm x 100m, 48mm x 200m, 48mm x 914m, 72mm x 50m, 72mm x 100m, 72mm x 914m	Clear, tan	1.75 mil
Industrial	19CST	48mm x 100m, 72mm x 100m	Clear	1.9 mil
Industrial+	20CST	48mm x 50m, 48mm x 100m, 48mm x 914m, 48mm x 1371m, 72mm x 100m, 72mm x 914m, 96mm x 65m, 144mm x 65m	Clear, tan	2 mil
Supreme	23CST	48mm x 100m, 72mm x 100m	Clear, tan	2.3 mil
Supreme+	25CST	48mm x 100m, 72mm x 100m, 48mm x 914m	Clear	2.5 mil
Heavy Duty	30CST	48mm x 50m, 72mm x 50m	Clear	3 mil

PVC

- Pressure sensitive adhesive made of natural rubber and resins
- Provides instant adhesion to fiberboard, plastic, glass, metallic, printed and painted surfaces



Item ID	Size	Color	Weight
21PVC1255	48mm x 50m	Clear, tan	2.1 mil
21PVC1355	72mm x 50m	Clear	
21PVC12110	48mm x 100m	Clear, tan	2.3 mil
23PVC1255R	48mm x 50m	Red	

WHISPER

- 100% truly silent even when pulled fast
- Super clear and bubble-free



Item ID	Size	Weight
20CSTW2110C	48mm x 100m	2 mil
20CSTW3110C	72mm x 100m	2 mil

COLOR ACRYLIC

- Used for package identification purposes
- Sticks to virtually any surface
- Recommended for product coding and inventory dating in warehouse locations



Item ID	Size	Colors	Wt.	Selling Unit
234805	48mm x 50m	Red	2 mil	36 rls/cs, 100 cs/plt
234810	48mm x 100m	Red, Blue, Green, White, Yellow, Black, Orange, Purple		36 rls/cs, 75 cs/plt
237205	72mm x 50m	Red		24 rls/cs, 75 cs/plt
2348914	48mm x 914m	Red, Blue, Green, White, Yellow, Black		6 rls/cs, 48 cs/plt

FLAT BACK

- Resistant to moist conditions
- Excellent tack and adhesion
- Hand-tearable



Grade	Item ID	Size	Weight
Generic	FBT60	2" x 60 yds, 3" x 60 yds	5.5 mil
Utility	FBT48	2" x 60 yds, 3" x 60 yds	4.8 mil
Heavy Grade	FBT59	2" x 60 yds, 3" x 60 yds	5.9 mil
Extra Heavy	FBT75	2" x 60 yds, 3" x 60 yds	7.5 mil

PRINTED ACRYLIC

- Features warning signs and messaging
- Available text: "Fragile", "Caution", "STOP"



Item ID	Size	Colors	Wt.	Selling Unit
204810-FGL	48mm x 100m	White with red print	2 mil	36 rls/cs, 72 cs/plt
204810-WCT				
204810-WST				
207210-FGL	72mm x 100m			24 rls/cs, 72 cs/plt
207210-WST				

YOUR SOURCE FOR INDUSTRIAL PACKAGING, JAN/SAN AND SAFETY SUPPLIES



HOTMELT

- Good edge tear and split resistance
- Pressure sensitive
- Roll-to-roll consistency increases productivity



Item ID	Size	Color	Weight
15HMT	48mm x 100m, 72mm x 100m	Clear	1.5 mil
16HMT	48mm x 50m, 48mm x 100m, 72mm x 100m, 48mm x 914m, 72mm x 914m	Tan, clear	1.6 mil
HMT	48mm x 100m, 72mm x 100m, 48mm x 914m, 72mm x 914m, 48mm x 1371m, 72mm x 1371m	Clear	1.8 mil
19HMT	48mm x 50m, 48mm x 100m, 72mm x 100m, 48mm x 914m, 72mm x 914m, 48mm x 1371m	Tan, clear	1.85 mil
25HMT	48mm x 100m, 72mm x 100m, 48mm x 914m, 72mm x 914m	Tan, clear	2.44 mil
30HMT	48mm x 50m, 72mm x 50m	Clear	2.83 mil
35HMT	48mm x 50m, 72mm x 50m	Clear	3.46 mil
20HMT (cold temp.)	48mm x 100m, 72mm x 100m, 48mm x 914m, 72mm x 914m, 48mm x 1371m, 72mm x 1371m	Clear	1.95 mil
20HMT-RC (for recycled boxes)	48mm x 100m, 72mm x 100m, 48mm x 914m, 72mm x 914m	Clear	2.05 mil

HOTMELT ACRYLIC HYBRID

- Suitable replacement for higher priced synthetic rubber-based Hot Melt Tape
- DOES NOT leave residue on machine rollers
- Excellent fiber tear



Item ID	Size	Color	Weight
HMA	48mm x 100m, 72mm x 100m	Transparent yellow	1.75 mil
20HMA	48mm x 100m, 72mm x 100m, 48mm x 914m, 72mm x 914m		2 mil

WATER ACTIVATED GUM

- 3-way reinforced with superior hold
- Water-activated copolymer adhesive create a tamper evident seal
- Works well on recycled cartons and non-unitized loads

Item ID	Size	Color	Selling Unit
Generic - Reinforced			
GTE72KAR-IT2	70mm x 375'	Kraft	10 rls/cs, 63 cs/plt
GTE72KAR-IT	72mm x 450'	Kraft	
GTE72WAR-IT	72mm x 450'	White	
GTI72KAR-IT	72mm x 450'	Kraft	
GTH72KAR-IT	3" x 450'	Kraft	

Generic - Non-Reinforced			
GTI72KA-IT	3" x 600'	Kraft	10 rls/cs, 60 cs/plt

Shield Brand - Reinforced			
GTE72KAR-WT2	70mm x 375'	Kraft	8 rls/cs, 105 cs/plt
GTE72KAR-WT	72mm x 450'	Kraft	10 rls/cs, 63 cs/plt
GTE72KAR-WT3	72mm x 500'	Kraft	6 rls/cs, 90 cs/plt
GTI72WAR-WT	72mm x 450'	White	10 rls/cs, 60 cs/plt
GTI72KAR-WT	72mm x 450'	Kraft	10 rls/cs, 63 cs/plt
GTH72KAR-WT	3" x 450'	Kraft	10 rls/cs, 60 cs/plt

WOLVERINE BRAND - REINFORCED			
GTES70KAR-WT2	70mm x 375'	Kraft	8 rls/cs, 126 cs/plt
GTES70KAR-WT	70mm x 450'	Kraft	10 rls/cs, 72 cs/plt
GTES70KAR-WT3	70mm X 500'	Kraft	6 rls/cs, 72 cs/plt
GTES70KAR-WT4	70mm x 1000'	Kraft	6 rls/cs, 64 rls/plt
GTIS70KAR-WT	70mm x 450'	Kraft	10 rls/cs, 72 cs/plt
GTIS70KAR-ISBR	Printed with "If Seal is Broken..."		
GTIS70WAR-WT	70mm x 450'	White	
GTHS70KAR-WT	70mm x 450'	Kraft	

WOLVERINE - NON-REINFORCED			
GTIS72KA-WT	72mm x 600'	Kraft	10 rls/cs, 90 cs/plt



* Custom colors and printing are available

HOTMELT SELECT

- Good edge tear and split resistance
- Pressure sensitive
- Affordable high quality tape



Item ID	Size	Color	Weight
16HMTS	48mm x 100m, 72mm x 100m, 48mm x 914m, 72mm x 914m	Tan, clear	1.6 mil
HMTS	48mm x 100m, 72mm x 100m	Clear	1.8 mil
19HMTS	48mm x 100m, 72mm x 100m	Clear	1.92 mil
20HMTS	48mm x 100m, 72mm x 100m, 48mm x 914m, 72mm x 914m	Clear	2 mil
25HMTS	48mm x 100m, 72mm x 100m	Clear	2.5 mil
30HMTS	48mm x 50m, 72mm x 50m	Clear	3.1 mil



HOTMELT SELECT MOVERS'

- BOPP film
- Reliably seal a variety of box types

Item ID	Size	Color	Weight	Selling Unit
16HMTS	48mm x 50m	Clear, tan	1.6 mil	36 rls/cs, 100 cs/plt



WATERLESS SELF ADHESIVE GUM TAPE

- Aggressive adhesive creates superior hold and makes application uniform
- No need for water
- Instant tack
- Hand Dispenser compatible



Item ID	Size	Color	Selling Unit
GTHS72KARS-WT	70mm x 55m	Kraft	12 rls/cs, 64 cs/plt



* Custom colors and printing are available

RPET BOTTLE

- Made from 90% PCR PET bottles; 1 case saves 138 bottles
- Replaces 1.8 mil acrylic tape

Item ID	Size	Weight
RPET2110C	48mm x 100m	1.2 mil
RPET3110C	72mm x 100m	



COLD TEMP ARCTIC TAPE

- Proven for cold room or freezer-use carton sealing AND recycled carton sealing
- Suitable for bundling and strapping
- Excellent fiber-tear
- Solvent-free adhesive



Item ID	Size	Color	Weight
20CSTC	48mm x 100m, 72mm x 100m	Clear	2 mil
22CSTC	48mm x 914m, 72mm x 914m		2.2 mil

TAMPER EVIDENT HOTMELT

- Easily identify boxes that have been tampered with
- Tape's design is impossible to realign once removed



Item ID	Size	Colors	Weight
204810-ISB-H	48mm x 100m	White with blue print	1.9 mil
207210-ISB-H	72mm x 100m	White with red print	1.9 mil
204810-ISB-HR	48mm x 100m		
207210-ISB-HR	72mm x 100m		

NATURAL RUBBER

- Designed for cold or room temp. application
- Available in Shield Select



Item ID	Size	Weight
NRT/NRTS	48mm x 100m, 72mm x 100m	1.75 mil

REINFORCING, BUNDLING & PALLETIZING

FILAMENT

- Recommended for light to medium bundling and strapping applications
- Glass-reinforced and pressure-sensitive
- Utilizes adhesive that is synthetic rubber and resin



Grade	Item ID	Size	Weight	Tensile
Generic	FT39	3/8" x 60 yds, 1/2" x 60 yds, 3/4" x 60 yds, 1" x 60 yds, 2" x 60 yds, 3" x 60 yds	4 mil	100 lbs/in
Economy	FTE39	3/8" x 60 yds, 1/2" x 60 yds, 3/4" x 60 yds, 1" x 60 yds, 1-1/2" x 60 yds, 2" x 60 yds, 3" x 60 yds		105 lbs/in
General Purpose	FTG39	1/2" x 60 yds, 3/4" x 60 yds, 1" x 60 yds, 1-1/2" x 60 yds, 2" x 60 yds, 3" x 60 yds		110 lbs/in
Industrial Grade	FTI39	1/2" x 60 yds, 3/4" x 60 yds, 1" x 60 yds, 2" x 60 yds		148 lbs/in

STRAPPING

- Prevents boxes from shifting in transit
- Ideal for palletizing, bundling, color coding and unitizing
- Tensitized MOPP film with a water-based acrylic adhesive



Select Version	Item ID	Size	Color	Weight	Tensile	Selling Unit
STS2709	ST2709	3/8" x 60 yds	Black	2.8 mil	100 lbs/in	192 rls/cs, 72 cs/plt; 75cs/plt*
STS2712	ST2712	1/2" x 60 yds				
NA	ST2712C	1/2" x 60 yds	Clear			144 rls/cs, 72 cs/plt; 75cs/plt*
STS2718	ST2718	3/4" x 60 yds	Black			96 rls/cs, 72 cs/plt; 75cs/plt*
STS2724	ST2724	1" x 60 yds				72 rls/cs, 72 cs/plt; 75cs/plt*
NA	ST2718W	3/4" x 60 yds	White			96 rls/cs, 72 cs/plt

BUILDING, REPAIR & MAINTENANCE

MASKING

- Water and oil resistant
- Designed for interior use only
- Natural rubber adhesive instantly sticks to a variety of irregular surfaces



Grade	Item ID	Size	Weight	Tensile
Generic	MST55	1/2" x 60 yds, 3/4" x 60 yds, 1" x 60 yds, 1-1/2" x 60 yds, 2" x 60 yds, 3" x 60 yds	4.3 mil	22 lbs/in
Shield Select Utility	MSTE43	1/2" x 60 yds, 3/4" x 60 yds, 1" x 60 yds, 1-1/2" x 60 yds, 2" x 60 yds, 3" x 60 yds	4.3 mil	18 lbs/in
Shield Select Industrial	MSTI49	3/4" x 60 yds, 1" x 60 yds, 1-1/2" x 60 yds, 2" x 60 yds, 3" x 60 yds	4.9 mil	19 lbs/in
Shield Select Heavy	MSTH54	1" x 60 yds	5.4 mil	23 lbs/in

DUCT

- Superior quality with durable backing
- Used for general maintenance and repair for construction or weather-proofing
- Aggressive natural rubber adhesive
- Does not twist or curl during application



Grade	Item ID	Size	Color	Weight	Tensile
Generic	DT60	2" x 60 yds, 3" x 60 yds	Silver	6 mil	17 lbs/in
	DT70		Silver, black	7 mil	21 lbs/in
	DT80		Silver	8 mil	22 lbs/in
	DT90		Silver, black, red	9 mil	24 lbs/in
Shield Select	DTS60	2" x 60 yds	Silver, black	6 mil	11 lbs/in
	DTS70		Silver, black	7 mil	21 lbs/in
	DTS80		Silver	8 mil	22 lbs/in
	DTS90		Silver, black, fluorescent pink, red, white	9 mil	16 lbs/in

PAINTER'S

- High performance masking tape
- Water-based acrylic adhesive doesn't dry out or lose its holding power
- Clean removal for up to 21 days
- Commonly used on drywall, glass, hardwood floors and wood trim



Grade	Item ID	Size	Color	Weight	Tensile
Generic	BPT56-L	1/2" x 60 yds, 3/4" x 60 yds, 1" x 60 yds, 1-1/2" x 60 yds, 2" x 60 yds, 3" x 60 yds	Blue	5.7 mil	20 lbs/in
	BPT56-G	2" x 60 yds	Green	5.9 mil	22 lbs/in
Shield Select	BPTS55-L	1" x 60 yds, 1-1/2" x 60 yds, 2" x 60 yds, 3" x 60 yds	Blue	5.5 mil	19 lbs/in
	BPTS55-G	1" x 60 yds, 2" x 60 yds	Green	5.5 mil	19 lbs/in

FIXING, MOUNTING & FASTENING

DOUBLE SIDED

- Pressure sensitive solvent acrylic adhesive
- High resistance to oils, some plasticizers and UV light
- Bonds and laminates paper, cloth, vinyl, plastic



Grade	Item ID	Size	Weight	Tensile
Generic Tissue	DCT33	3/4" x 55 yds, 1" x 55 yds, 2" x 55 yds, 3" x 55 yds	3.3 mil	28 lbs/in
Shield Select BOPP General Purpose	DCT39-BP	1" x 55 yds, 2" x 55 yds	3.9 mil	22 lbs/in
Shield Select Non-Woven for Lamination	DCT40-NW		4 mil	22.8 lbs/in

SPECIALTY & MISCELLANEOUS

BAG

- Sticks to fiberboard, plastic, glass, metallic, printed and painted surfaces
- Utilizes a natural rubber and resin-based adhesive, combined with a PVC film backing



Item ID	Size	Color	Weight	Tensile	Selling Unit
BT138	3/8" x 180 yds	Red, Blue, Green, White, Yellow	2.3 mil	28 lbs/in	96 rls/cs, 88 cs/plt

AISLE MARKING

- Handy for calling attention to aisles, steps, pillars, parking lots, walkways and more
- Pressure sensitive available in solids and stripes



Item ID	Size	Color	Weight	Tensile	Selling Unit
WTSV7048	2" x 36 yds	Yellow & Black, Red & White	6 mil	18 lbs/in	24 rls/cs, 48 cs/plt

SURFACE PROTECTION

- Made of polyethylene film, specially blended to resist tears and punctures
- Acrylic adhesive system allows for clean removal



Type	Item ID	Size	Weight	Tensile
Carpet	CPF24	24" x 50', 24" x 200'	2.2 mil	11 lbs/in
Hard Surface	HSPF24		2.5-3 mil	

TUG ACRYLIC

- Exclusively offered to members of TUG (The United Group)
- Good all-temperature performance

Item ID	Size	Weight
17AT	48mm x 100m, 72mm x 100m	1.7 mil



ACCESSORIES

FILAMENT TAPE DISPENSER

MI-FTD1, MI-FTD2

- Durable metal design
- Used to cut filament tape
- Compact & space saving



SELF ADHESIVE GUM TAPER

- RETRACTABLE BLADE FOR SAFE CLEAN CUTS
- PERFECT FOR DISPENSER FOR NEW SELF-ADHESIVE WOLVERINE GUM TAPE!
- FITS 72MM (3") TAPES



MI-TDH3RS

TAPE WRANGLER

MI-TDH2, MI-TDH3

- Easy to hold, pistol grip dispenser
- Retractable blade & built in braking device



2" WIDE TAPE



MI-TD2, MI-TD3

MI-TD2RM, MI-TD3RM



BAG TAPER

MI-BT38

- Durable, long-lasting tabletop dispenser
- Used to seal produce bags



GUMMED TAPE DISPENSERS

MI-GTDE76

- For up to 76mm



MI-GTDE76M

- Operated manually

